



PRICE COMPUTING SCALES

PC SERIES

Model:

PC 40 L / PC 80 L
PC 40 LT / PC 80 LT



Product features

- ✓ Available in 40 lb and 80 lb capacities
- ✓ Stainless steel case and plate
- ✓ Large LCD display with backlight
- ✓ Cash register functions
- ✓ 100 hours duration rechargeable Battery
- ✓ 15 PLU shortcuts
- ✓ Model with turret or without turret available

Product highlights



Robust stainless Steel construction



Customizable 15 PLU shortcuts



Adjustable display
(Only model with turret)

Certifications



Warranty






PRICE COMPUTING SCALES

PC SERIES

Dimensions



Technical specifications

Dimensions PC-40/80 L

External dimensions	W: 14.29" D:14.05" H: 5.47"
Packging dimensions	W: 17.32" D:18.50" H: 6.88"
Net weight	17 lb
Total weight (packing included)	19.62 lb
Plate dimensions	W: 11.45" D: 14.05" H: 1.00"

Construction

Cabinet material	Stainless steel
Plate material	Stainless steel
Plate holder	High strength reinforced aluminium
Leveling feet	4 adjustable foot

Logistic data

Units per pallet	44
Weight per pallet	903.89 lb
Dim. Per pallet	44.88" x 51.96" x 78.740"
Storage temperature	-4°F to 122°F (-20°C to 50°C)

Electrical data

Power supply	100-240 Vca / 47/63 Hz
Ampers	100-240 Vca / 0.2 A
Cord length	70.86"
Lighting	LED
Plug type	NEMA-5-15P
Display	LCD display with backlight

Performance data

Capacity	40.00 lb / 80.00 lb
Minimal division	0.01 lb / 0.02 lb
Max. Tare	20 lb / 40 lb

Additional data


Operation temperature	14°F to 104°F (-10°C to 40°C)
Communication	Serial RS-232
Software PC available	Software scale



PRICE COMPUTING SCALES

PC SERIES

Dimensions



Technical specifications

Dimensions PC-40/80 LT

External dimensions	W: 14.25 " D:17.12 " H: 13.43 "
Packing dimensions	W: 19.68 " D:23.62 " H: 8.66 "
Net weight	18.18 lb
Total weight (packing included)	19.8 lb
Plate dimensions	W: 11.45 " D: 14.05" H: 1.00 "

Construction

Cabinet material	Stainless steel
Plate material	Stainless steel
Plate holder	High strength reinforced aluminium
Leveling feet	4 adjustable foot

Logistic data

Units per pallet	40
Weight per pallet	831.16 lb
Dim. Per pallet	44.88" x 51.96" x 78.740"
Storage temperature	-4°F to 122°F (-20°C to 50°C)

Electrical data

Power supply	100-240 Vca / 47/63 Hz
Ampers	100-240 Vca / 0.2 A
Cord length	70.86"
Lighting	LED
Plug type	NEMA-5-15P
Display	LCD display with backlight

Performance data

Capacity	40.00 lb / 80.00 lb
Minimal division	0.01 lb / 0.02 lb
Max. Tare	20 lb / 40 lb

Additional data

Operation temperature	14°F to 104°F (-10°C to 40°C)
Communication	Serial RS-232
Software PC available	Software scale